

FIG. 1





FIG. 2



Button	Name	Action
Button	ivallie	ACUON
open file(s)	Open file(s)	Opens a file chooser from which you can select one or more files. Opened files will be displayed in the File List.
read symbols	Read Symbols	Parses the selected file and represents its symbols in the Symbol tree.
build test	Build Test	Parses the current file, reads its symbols, instruments it if necessary, then compiles and links it.
test all	Test All	Builds and tests all files cur- rently in the File List.
refresh	Refresh	Recreates your Symbol tree from its current symbol repository, closes all expanded nodes, and deselects the currently selected node. If the file is closed, it will clear the Symbol tree and other tabs.

FIG.4




FIG. 5




FIG. 6

FIG. 7A

Saucentade.	Test progress February Restrange dear Signature Contribution	
e b	2 II III 1 1 1 1 1 1 1 1	
	mgmods	
610	OBAL STRUCTS	旦
≯ vo:	ad bubble_sorri(int*, int)	
vo:	rd pmppie sour; (rus, ruc)	П
vo	id simple insertion sort(int*, int)	М
voz	id sumple insertion sorth(int*, int)	
voi	ad sort(int*, int)	

FIG. 7B

atriage Haj World 1 4 % 2 %	al Maje (MSV	Province Charles (1. Class)
- Testifiedd - Earopton was caugni - 1 fil Aros inil Lalloc 1 & Bos - Testifiedd	4 <u>2-0</u> 2 2-1 (2- <u>-</u> - 2-	6, Paus, G=8, (frix, 1914, E114, 1914, 1944), 1442, 1544, 1649, 1744,
— ◆ Esceptionwas caught -[1] (1) AROS: (ALLOC 14 ALLOC 14 &	nt, dus, dus, dus, sur, du	g, (1118), 7118, (1111), 818), 1811A, 1811, 1811, 1811, 1811, 1811, 1811, 1811, 1811, 1811, 1811, 1811, 1811,

FIG. 7C

Section (cap (see) has	
Ø mtOcp)	Garronphi Telipropess Regula 1860ce44 1860c Quantidas Cappenantra - m27 mp - 0.00044 57650.0. - 94 610546 (7.231407617) - 1010546 (7.231407617) - 1010546 (7.231407617)
G activo G + 0,024,000,00,0 v via simplytant can timalismin without	• enterpropersoral
Degrei (Ester)	THE CHART HOLDES DETWENDENCES OF REGISTER SERVICES.
wite successful to the second	atzles alar comp * atra ())
Pro Curustres:	

FIG. 7D




FIG. 7E

Somes code 1	Test progress Results Tost tase edits Statisties Suppressions
	Unsuperes All Superso All Season and Season
SeritGrap	OLCHAL EVRECUS + You descripted (the const ") + adalterol bit const."
Şų	peressions Se. Cupite NC+-TosEnting miles suppressions, and

FIG. 7F




FIG. 7G

Output Progress	
1000	리 Charl Orders
Itabus: OK	Sine Output
7EST 1	Nat Lines
Fre Conditions:	
Arguments: arr=(ALIO: 1, G=-1), sire=1 Prot Conditions: arr=(ALIO: 1, G=-1), sice=1	
Etatusi CK	Ē

FIG. 7H

OTUDAL ECKNI			
Add tex	Change teal case Re	more test case Remove all te	1119599
Args too sount yould hat	ble_mort?(int' acc= () ,	ant size)	
Pre Conditions:			
Post Conditions	i.		

FIG. 7I

ilobal Settings	***************************************		
Properties Test Configuration			
O DevStudio O Notepad			
O Other			- A substitute and the substitut
Compiler: ct.exe			ilt. 1818, m
Build options	DA .		
Include options		E	Add include(s)
	er i de la companya d		
Market Committee Committee		A	(4.8) Yest (15) 199
	OK Can	icel	

FIG. 7J




FIG. 8




FIG. 9

Die Project Teste	Quincia Hole		[_]
<u>a</u> &	A S.		
◆ + void	, SYMBOLS BEODYTHAP, cha Merkehar ronsi (Dougle care Test propess Regure Test case entire Chip tables Suppression	
(i)	N		
Cospus Editor	Ann	strace Change serices Person Naveus Remon Aliest cases	
Args and return Fre Conditions Post Considers	ant#	strian (that court * sto ())	
Testing		Project:	

FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11




FIG. 12A




FIG. 12B

Questo Progress	ts		22 % (28)	
	noos [0.8*(0.0)	
Cta	3945 (333) (33	<u> </u>	100% (M)	

FIG. 13



FIG. 14A



FIG. 14B

```
Post condition failed for return value:
expected value: 1
returned value: 2
Post condition failed for tested object:
expected field value(s): {_i=4}
value(s) after call: {_i=2}
```

FIG. 14C




FIG. 14D




FIG. 14E